# Wikiprint Book

Title: Accessibility Support in Trac

Subject: TechTIDE-Wiki - TracAccessibility

Version: 1

Date: 11/25/25 01:52:27

## **Table of Contents**

Accessibility Support in Trac	3
Global Access Keys	3
TracBrowser Navigation	3

### **Accessibility Support in Trac**

Not every user has a graphic environment with a mouse or other pointing device. Some users rely on a keyboard, alternative keyboard or voice input to navigate links and activate form controls. In a Trac session, users can use a device other than a pointing device by enabling keyboard shortcuts through the Keyboard Shortcuts preferences panel.

#### **Global Access Keys**

The global access keys differ by browser and the following work for several browsers:

- on Linux, press any of the keys listed below in combination with the <Alt> key
- on a Mac, use <Ctrl> + <Opt> + <Key>
- on Windows, use <Shift> + <Alt> + <Key>. This works for the most common browsers, such as Firefox, Chrome, Safari and Internet Explorer

See <u>■access in different browsers</u> for more details.

- 1 WikiStart
- 2 Timeline
- 3 <u>Roadmap</u>
- 4 <u>Search</u>
- 6 Trac Guide / Documentation
- 7 New Ticket
- 9 About Trac
- e Edit (wiki or report)
- r Preview (wiki or ticket)
- f Search

#### **TracBrowser Navigation**

The browser can be navigated using the keys listed below. The key modifiers listed above are not used for navigating the browser.

- j and k select the next or previous entry, starting with the first
- o (open) toggle between expanded and collapsed state of the selected directory or visit the selected file
- v (view, visit) and <Enter> same as above
- r reload an already expanded directory
- a directly visit a file in annotate (blame) mode

If no row has been selected using j or k, the keys will operate on the entry under the mouse.