Wikiprint Book

Title: Email Notification of Ticket Changes

Subject: TechTIDE-Wiki - TracNotification

Version: 1

Date: 11/25/25 03:21:50

Table of Contents

Email Notification of Ticket Changes	3
Receiving Notification Mails	3
How to use your username to receive notification mails	3
Ticket attachment notifications	3
Configuring SMTP Notification	3
Configuration Options	3
[notification]	3
Example Configuration (SMTP)	4
Example Configuration (sendmail)	4
Subscriber Configuration	4
[notification-subscriber]	4
Example Configuration (default subscriptions)	5
Customizing the e-mail subject	5
Customizing the e-mail content	5
Sample Email	6
Using GMail as the SMTP relay host	6
Troubleshooting	7
Permission denied error	7
Suspected spam error	7

Email Notification of Ticket Changes

Trac supports notification of ticket changes via email.

Email notification is useful to keep users up-to-date on tickets of interest, and also provides a convenient way to post all ticket changes to a dedicated mailing list.

Disabled by default, notification can be activated and configured in trac.ini.

Receiving Notification Mails

When reporting a new ticket or adding a comment, enter a valid email address or your Trac username in the *reporter*, assigned to/owner or cc field. Trac will automatically send you an email when changes are made to the ticket, depending on how notification is configured.

How to use your username to receive notification mails

To receive notification mails, you can either enter a full email address or your Trac username. To get notified with a simple username or login, you need to specify a valid email address in your preferences.

Alternatively, a default domain name (smtp_default_domain) can be set in the <u>TracIni</u> file, see <u>Configuration Options</u> below. In this case, the default domain will be appended to the username, which can be useful for an "Intranet" kind of installation.

When using apache and mod_kerb for authentication against Kerberos / Active Directory, usernames take the form (username@EXAMPLE.LOCAL). To avoid this being interpreted as an email address, add the Kerberos domain to (ignore_domains).

Ticket attachment notifications

Since 1.0.3 Trac will send notifications when a ticket attachment is added or deleted. Usually attachment notifications will be enabled in an environment by default. To disable the attachment notifications for an environment the TicketAttachmentNotifier component must be disabled:

[components]

trac.ticket.notification.TicketAttachmentNotifier = disabled

Configuring SMTP Notification

Important: The [trac] base_url option must be configured for links in the notification message to be correctly generated.

Configuration Options

These are the available options for the [notification] section in trac.ini:

[notification]

and the same		make 1
	Width of ambiguous characters that should be	
	used in the table of the notification mail.	
	Existing the service of the characteristic	ei mate
	USANCE This is expensely more seen. If	
	This is a supermetry C.K. come, (above 5.42).	
		Nijestia) mon sonity:
	Literature puri jurit, hampion albertar Leich medicalism, johne 1-0	
	Salas tema ni derives ensi nell'orioni	Part (STAIN)
	Conna senseted boy anal status	
	Comma separated local annual section community in the order through the called, if an	
STATE AND DESCRIPTION ASSESSMENT	email address is resident, the semaking	Nouse of Black (Bases) year
	contact will not be reded.	
	Name of the composition or productions	
	TENAL LIMITARY.	
	This component is usefully the notification speciments and amain. The currently provides	
	proper to send amalis. Transcripting year SACP	
	compensation of annanoge at our	
	server, and number i small i sunder for naming a conduction companies assessable.	
	(since it N)	
	Comma segurated for all domains that should not	
	ta rensiderari part el amali addressas (for comunes sitt. Settams timains).	re-manus
	comunics with Nathansa domains).	
SHARES AND DRIVE	Not alpoint to reason unique blessage ID	un.
	hander (since 14-15)	
	Specifies the WANE animaling scheme for amain.	
1	Supported orders are: 1.114, the defeat rates	1
1		1
I		1
No. of Concession, Name of Street, or other party of the Concession, Name of Street, or other pa		P
1	leaves with tracing and operations since empire.	1
1	gravitational principles, which were harrier	1
l .	emper impage (non-respective)	1
	empor impage from corput for teats) I filtinosting acret in usel. Patro de acrimal acceptio	
	Patro de antinal associatio	
	Described program more energy fig. 1 and	andrei .
	. F options.	
	news of	
and about the	CONTA NEW YORK TO FAIL OF STREET IN	THE MODELS
AND ADDRESS FOR	alongs sand nationalous to Addresses are not made offers).	Print Miles
	Companyor in a small attraces to	
COLUMN TO SERVICE STATE OF THE PERSON SERVICE STATE SERVICE STATE STATE SERVICE STATE STATE STATE SERVICE STATE STATE STATE SERVICE STATE STAT	Comma separated for if arrial addresses to always send notifications to Addresses not be	
-		(Contract)
	Solad hastenak truppenin eliteras tur	
	to not specify one Fully specified addresses are	THE MANUAL PROPERTY AND ADDRESS OF THE PARTY A
	to not specify one Fully specified addresses are	r- anus
	to not qually one Pully qualified extremes one not martise. The defeat density is appointed to all semanticity for which as a mail address and the semanticity of the street of the semanticity.	pro material
	to not qually the Fully qualitat editioners are not matilian. The delivant formula is appointed to all assemblings for which as small address committee found in the oner verticips. Exists small technique.	(m. Malach)
200 AND ADDRESS OF THE PARTY OF	to not qually the Fully qualitat editioners are not matilian. The delivant formula is appointed to all assemblings for which as small address committee found in the oner verticips. Exists small technique.	po defeat) Establish
	do no specify one Fully qualified editionals are not motified. The default domain is approvided to all assumentations for which as small address committee found in the user settings. Entette amost softwarder. Entette amost softwarder.	po Adarij Sirakina
	do no specify one Fully qualified editionals are not motified. The default domain is approvided to all assumentations for which as small address committee found in the user settings. Entette amost softwarder. Entette amost softwarder.	pon defeati) Scord and Scord and
	in our quality are I say qualified withness are an excelled. The default attents in a general to all assembled for which as and abbess amount be found in the own writings. Example and contraction. Sunday which contracts. Sunday which are an accordance and a sunday of the contract for the contract of contracts. As found one of cong., tree and	pos defeat) According to the contract of the
	Among aparily sea Fully spatial and inhomose sea and motified. The solution formats is appropriate for all communities for which are avail address person to found in the same writings. Wherebe are and and deather founds and and address are founds and and and and and and are properties of any processed are properties on the found and are properties on the found and are properties on the found and properties of any processed and p	para delegación de la constitución de la constituci
	more questly one if this qualified addresses are no motified. The depands from the appears of a described by the plant of the second of the control of the c	pos defendo
	more quelly one if hij qualified advises are no mattles. The details of man in a qualified and man in a mattle of a secondary light for influence in a mail advises manue he hand in the sear waiting. Whater a man in militarious. Manuel and the man is militarious man in a	pas Milanis Annalisas Provincias Annalisas
	more quelly one if hij qualified advises are no mattles. The details of man in a qualified and man in a mattle of a secondary light for influence in a mail advises manue he hand in the sear waiting. Whater a man in militarious. Manuel and the man is militarious man in a	tradicalitus
	more qually and fully spoilled enhances are no martially. The destination be operated at assumption for which are not addressed to assume the found in our analysis of the control of the	tradicalitus
	the control point of any special and interest are the ameliant To an electrical to the control of the control o	Franklands
200 - 200 -	the cost quality has a field population and interest and an amountable. The destination is approximate a committed to the destination is depositioned as a committed in the control of the cost of the	Transition and Transi
	the cost quality has a field population and interest and an amountable. The destination is approximate a committed to the destination is depositioned as a committed in the control of the cost of the	Franklands
All Annual Annua	more quality and Fully spottless deliments we as martisles. The self-term that the prevention of a general solid policy deliment as a real address of a more self-term than the self-term that the self-term than the self-ter	Franklands
	the cost quality has a field population and interest and an amountable. The destination is approximate a committed to the destination is depositioned as a committed in the control of the cost of the	Franklands
Control of the Contro	An or early as A Fully public actions are sent as a consistent of the sent and the	Franklands
STATE AND STATE OF THE STA	An or early as A Fully public actions are sent as a consistent of the sent and the	Franklands
	An or well you of Fully public actions are well as a considerable of the considerable	Franklands
	An or early as A Fully public actions are sent as a consistent of the sent and the	Franklands
	An order with our A Fight point and channess are designed as deliberates and consequence for the control and t	Constitution of Constitution o
	An order with our A Fight point and channess are designed as deliberates and consequence for the control and t	Constitution of Constitution o
	An or well you of Fully public actions are well as a considerable of the considerable	Constitution of Constitution o
	An an early on a finite pollular actions are set of a construction of the control and cont	Production beautiful and the second s
	An an early on a Felly public actions as an article and a second public actions as an article and a second public action action and a second public action action and a second public action	Constitution of Constitution o
	An area of the Art of public distinction and an area of the Art of public distinction and area of the Art of public distinction and the distinct of the Art of the Ar	Production beautiful and the second s
	An annual real of the contract	Production and Conference of C
	An annual real of the contract	Production and Conference of C
	An article of the Annual Annua	Production and Control of Control
	An annual real of the contract	Predictables Gradual
	An extra and ext	Production and Control of Control
	An extra and an ex	Predictables Gradual
	Revision for the Special and States and an and all states and an administration of the Special and an administration of the Special and Admini	Predictables Gradual
	And the second of the second o	Predictables Gradual
	Revision for the Special and States and an and all states and an administration of the Special and an administration of the Special and Admini	Predictables Gradual
	An extra control of the control of t	Predictables Gradual
	An extra control of the control of t	Predictables Gradual
	An extra control of the control of t	Predictables Gradual
	An extra control of the control of t	Predictables Gradual
	An extra control of the control of t	Predictables Gradual
	An extra and an ex	Predictables Gradual
	And the second of the second o	Predictables Gradual
	And the second s	Predictables Gradual
	And the second s	Control of the Contro
	And the second of the second o	Control of the Contro

Example Configuration (SMTP)

```
[notification]
smtp_enabled = true
smtp_server = mail.example.com
smtp_from = notifier@example.com
smtp_replyto = myproj@projects.example.com
smtp_always_cc = ticketmaster@example.com, theboss+myproj@example.com
```

Example Configuration (sendmail)

```
[notification]
smtp_enabled = true
email_sender = SendmailEmailSender
sendmail_path = /usr/sbin/sendmail
smtp_from = notifier@example.com
smtp_replyto = myproj@projects.example.com
smtp_always_cc = ticketmaster@example.com, theboss+myproj@example.com
```

Subscriber Configuration


The default subscriptions are configured in the [notification-subscriber] section.

[notification-subscriber]

The notifications subscriptions are controlled by plugins. All INotificationSubscriber components are in charge. These components may allow to be configured via this section in the trac.ini file.

See TracNotification for more details.

Available subscribers:



Each user can override these defaults in their Notifications preferences.

For example to unsubscribe from notifications for one's own changes and comments, the rule "Never notify: I update a ticket" should be added above other subscription rules.

The subscription rule name on the left side of the = can be anything, it has no meaning outside this configuration file. The subscriber name on the right side of the = must be one of the subscribers listed in the above table.

The following attributes of default subscriptions can be configured:

```
.distributor (Default: email)
```

• Other values require plugins. For example on-site requires th:OnSiteNotificationsPlugin.

```
.priority (Default: 100)
```

- · Smaller values override larger values.
- If you use 0, then users will not be able to override this rule.

```
.adverb (Default: always)
```

• never can be used to silence other subscription rules with higher values.

```
.format (Default: text/plain)
```

• Other values require plugins. For example text/html requires th:TracHtmlNotificationPlugin.

Example Configuration (default subscriptions)

```
[notification-subscriber]
always_notify_owner = TicketOwnerSubscriber
always_notify_owner.distributor = email
always_notify_owner.priority = 100
always_notify_owner.adverb = always
always_notify_owner.format = text/plain

always_notify_previous_updater = TicketPreviousUpdatersSubscriber

never_notify_updater = TicketUpdaterSubscriber
never_notify_updater.adverb = never
never_notify_updater.priority = 0

notify_cc_html = CarbonCopySubscriber
notify_cc_html.format = text/html
```

Customizing the e-mail subject

The e-mail subject can be customized with the ticket_subject_template option, which contains a Months of text-template snippet. The default value is:

```
${prefix} #${ticket.id}: ${summary}
```

The following variables are available in the template:

- env: The project environment object (see <u>lenv.py</u>).
- prefix: The prefix defined in smtp_subject_prefix.
- summary: The ticket summary, with the old value if the summary was edited.
- ticket: The ticket model object (see model.py). Individual ticket fields can be accessed by appending the field name separated by a dot, eg \${ticket.milestone}.

Customizing the e-mail content

The notification e-mail content is generated based on ticket_notify_email.txt in trac/ticket/templates. You can add your own version of this template by adding a ticket_notify_email.txt to the templates directory of your environment. The default is:

```
${ticket_body_hdr}
${ticket_props}
# if ticket.new:
```

```
${ticket.description}
# else:
   if changes_body:
\$\{\_(\, \text{'Changes (by } \$(\text{author}) \, \text{s}) \colon \text{', author=change.author})\,\}
${changes_body}
  endif
   if changes_descr:
     if not changes_body and not change.comment and change.author:
\{('Description changed by (author)s:', author=change.author)\}
     endif
#
${changes_descr}
    endif
   if change.comment:
\{('Comment') if changes\_body else\}
_('Comment (by %(author)s):', author=change.author)}
${change.comment}
# endif
# endif
\{(ink)s>', link=ticket.link)\}
${project.name} <${project.url or abs_href()}>
${project.descr}
```

See the **_cookbook** for additional template customization recipes.

Sample Email

```
#42: testing
Id: 42 | Status: assigned

Component: report system | Modified: Fri Apr 9 00:04:31 2004
Severity: major | Milestone: 0.9
Priority: lowest
                      Version: 0.6
 Owner: anonymous
                     Reporter: jonas@example.com
-----
Changes:
* component: changeset view => search system
 * priority: low => highest
 * owner: jonas => anonymous
* cc: daniel@example.com =>
      daniel@example.com, jonas@example.com
* status: new => assigned
Comment:
I'm interested too!
Ticket URL: <http://example.com/trac/ticket/42>
My Project <a href="http://myproj.example.com/">
```

Using GMail as the SMTP relay host

Use the following configuration snippet:

```
[notification]
smtp_enabled = true
use_tls = true
```

```
mime_encoding = base64
smtp_server = smtp.gmail.com
smtp_port = 587
smtp_user = user
smtp_password = password
```

where user and password match an existing GMail account, ie the ones you use to log in on http://gmail.com.

Alternatively, you can use smtp_port = 25.

You should not use smtp_port = 465. Doing so may deadlock your ticket submission. Port 465 is reserved for the SMTPS protocol, which is not supported by Trac. See #7107 for details.

Troubleshooting

If notifications are not working, inspect the <u>log</u> for error messages.

Notification errors are not always reported through the web interface, so the user who submits a change or creates a ticket may not get notified about a notification failure. The Trac administrator needs to look at the log to find the error message and traceback.

Permission denied error

Typical error message:

```
File ".../smtplib.py", line 303, in connect
  raise socket.error, msg
error: (13, 'Permission denied')
```

This error usually comes from a security settings on the server: many Linux distributions do not allow the web server (Apache, ...) to post email messages to the local SMTP server.

Many users get confused when their manual attempts to contact the SMTP server succeed:

```
telnet localhost 25
```

This is because a regular user may connect to the SMTP server, but the web server cannot:

```
sudo -u www-data telnet localhost 25
```

In such a case, you need to configure your server so that the web server is authorized to post to the SMTP server. The actual settings depend on your Linux distribution and current security policy. You may find help in the Trac MailingList archive.

Relevant ML threads:

• SELinux: http://article.gmane.org/gmane.comp.version-control.subversion.trac.general/7518

For SELinux in Fedora 10:

```
$ setsebool -P httpd_can_sendmail 1
```

Suspected spam error

Some SMTP servers may reject the notification email sent by Trac.

The default Trac configuration uses Base64 encoding to send emails to the recipients. The whole body of the email is encoded, which sometimes trigger false positive spam detection on sensitive email servers. In such an event, change the default encoding to "quoted-printable" using the mime_encoding option.

Quoted printable encoding works better with languages that use one of the Latin charsets. For Asian charsets, stick with the Base64 encoding.

See also: <u>TracTickets</u>, <u>TracIni</u>, <u>TracGuide</u>, <u>■TracDev/NotificationApi</u>