

Wikiprint Book

Title: Email Notification of Ticket Changes

Subject: TechTIDE-Wiki - TracNotification

Version: 1

Date: 11/24/24 23:04:28

Table of Contents

Email Notification of Ticket Changes	3
Receiving Notification Mails	3
How to use your username to receive notification mails	3
Ticket attachment notifications	3
Configuring SMTP Notification	3
Configuration Options	3
[notification]	3
Example Configuration (SMTP)	4
Example Configuration (sendmail)	4
Subscriber Configuration	4
[notification-subscriber]	4
Example Configuration (default subscriptions)	5
Customizing the e-mail subject	5
Customizing the e-mail content	5
Sample Email	6
Using GMail as the SMTP relay host	6
Troubleshooting	7
Permission denied error	7
Suspected spam error	7

Example Configuration (SMTP)

```
[notification]
smtp_enabled = true
smtp_server = mail.example.com
smtp_from = notifier@example.com
smtp_replyto = myproj@projects.example.com
smtp_always_cc = ticketmaster@example.com, theboss+myproj@example.com
```

Example Configuration (sendmail)

```
[notification]
smtp_enabled = true
email_sender = SendmailEmailSender
sendmail_path = /usr/sbin/sendmail
smtp_from = notifier@example.com
smtp_replyto = myproj@projects.example.com
smtp_always_cc = ticketmaster@example.com, theboss+myproj@example.com
```

Subscriber Configuration

The default subscriptions are configured in the [\[notification-subscriber\]](#) section.

[notification-subscriber]

The notifications subscriptions are controlled by plugins. All INotificationSubscriber components are in charge. These components may allow to be configured via this section in the `trac.ini` file.

See [TracNotification](#) for more details.

Available subscribers:

Subscriber	Description
AlwaysEmailSubscriber	
CarbonCopySubscriber	Ticket that I'm listed in the CC field is modified
TicketOwnerSubscriber	Ticket that I own is created or modified
TicketPreviousUpdatersSubscriber	Ticket that I previously updated is modified
TicketReporterSubscriber	Ticket that I reported is modified
TicketUpdaterSubscriber	I update a ticket

Each user can override these defaults in their *Notifications* preferences.

For example to unsubscribe from notifications for one's own changes and comments, the rule "Never notify: I update a ticket" should be added above other subscription rules.

The subscription rule name on the left side of the = can be anything, it has no meaning outside this configuration file. The subscriber name on the right side of the = must be one of the subscribers listed in the above table.

The following attributes of default subscriptions can be configured:

- .distributor (Default: email)
 - Other values require plugins. For example `on-site` requires `th:OnSiteNotificationsPlugin`.
- .priority (Default: 100)
 - Smaller values override larger values.
 - If you use 0, then users will not be able to override this rule.
- .adverb (Default: always)
 - `never` can be used to silence other subscription rules with higher values.
- .format (Default: text/plain)
 - Other values require plugins. For example `text/html` requires `th:TracHtmlNotificationPlugin`.

Example Configuration (default subscriptions)

```
[notification-subscriber]
always_notify_owner = TicketOwnerSubscriber
always_notify_owner.distributor = email
always_notify_owner.priority = 100
always_notify_owner.adverb = always
always_notify_owner.format = text/plain

always_notify_previous_updater = TicketPreviousUpdatersSubscriber

never_notify_updater = TicketUpdaterSubscriber
never_notify_updater.adverb = never
never_notify_updater.priority = 0

notify_cc_html = CarbonCopySubscriber
notify_cc_html.format = text/html
```

Customizing the e-mail subject

The e-mail subject can be customized with the `ticket_subject_template` option, which contains a [Genshi text template](#) snippet. The default value is:

```
#{prefix} #${ticket.id}: ${summary}
```

The following variables are available in the template:

- `env`: The project environment object (see [env.py](#)).
- `prefix`: The prefix defined in `smtplib_subject_prefix`.
- `summary`: The ticket summary, with the old value if the summary was edited.
- `ticket`: The ticket model object (see [model.py](#)). Individual ticket fields can be accessed by appending the field name separated by a dot, eg `#{ticket.milestone}`.

Customizing the e-mail content

The notification e-mail content is generated based on `ticket_notify_email.txt` in `trac/ticket/templates`. You can add your own version of this template by adding a `ticket_notify_email.txt` to the `templates` directory of your environment. The default is:

```
#{ticket_body_hdr}
#{ticket_props}
# if ticket.new:
```

```

${ticket.description}
# else:
#   if changes_body:
${_('Changes (by %(author)s):', author=change.author)}

${changes_body}
#   endif
#   if changes_descr:
#       if not changes_body and not change.comment and change.author:
${_('Description changed by %(author)s:', author=change.author)}
#       endif
${changes_descr}
--
#   endif
#   if change.comment:

${_('Comment:') if changes_body else
  _('Comment (by %(author)s):', author=change.author)}

${change.comment}
#   endif
# endif
--
${_('Ticket URL: <%(link)s>', link=ticket.link)}
${project.name} <${project.url or abs_href()}>
${project.descr}

```

See the [cookbook](#) for additional template customization recipes.

Sample Email

```

#42: testing
-----+-----
      Id: 42          |      Status: assigned
Component: report system |      Modified: Fri Apr 9 00:04:31 2004
Severity: major       |      Milestone: 0.9
Priority: lowest      |      Version: 0.6
      Owner: anonymous |      Reporter: jonas@example.com
-----+-----

Changes:
* component: changeset view => search system
* priority: low => highest
* owner: jonas => anonymous
* cc: daniel@example.com =>
      daniel@example.com, jonas@example.com
* status: new => assigned

Comment:
I'm interested too!

--
Ticket URL: <http://example.com/trac/ticket/42>
My Project <http://myproj.example.com/>

```

Using Gmail as the SMTP relay host

Use the following configuration snippet:

```

[notification]
smtp_enabled = true
use_tls = true

```

```
mime_encoding = base64
smtp_server = smtp.gmail.com
smtp_port = 587
smtp_user = user
smtp_password = password
```

where *user* and *password* match an existing GMail account, ie the ones you use to log in on <http://gmail.com>.

Alternatively, you can use `smtp_port = 25`.

You should not use `smtp_port = 465`. Doing so may deadlock your ticket submission. Port 465 is reserved for the SMTPS protocol, which is not supported by Trac. See [#7107](#) for details.

Troubleshooting

If notifications are not working, inspect the [log](#) for error messages.

Notification errors are not always reported through the web interface, so the user who submits a change or creates a ticket may not get notified about a notification failure. The Trac administrator needs to look at the log to find the error message and traceback.

Permission denied error

Typical error message:

```
...
File ".../smtplib.py", line 303, in connect
    raise socket.error, msg
error: (13, 'Permission denied')
```

This error usually comes from a security settings on the server: many Linux distributions do not allow the web server (Apache, ...) to post email messages to the local SMTP server.

Many users get confused when their manual attempts to contact the SMTP server succeed:

```
telnet localhost 25
```

This is because a regular user may connect to the SMTP server, but the web server cannot:

```
sudo -u www-data telnet localhost 25
```

In such a case, you need to configure your server so that the web server is authorized to post to the SMTP server. The actual settings depend on your Linux distribution and current security policy. You may find help in the Trac [MailingList](#) archive.

Relevant ML threads:

- SELinux: <http://article.gmane.org/gmane.comp.version-control.subversion.trac.general/7518>

For SELinux in Fedora 10:

```
$ setsebool -P httpd_can_sendmail 1
```

Suspected spam error

Some SMTP servers may reject the notification email sent by Trac.

The default Trac configuration uses Base64 encoding to send emails to the recipients. The whole body of the email is encoded, which sometimes trigger *false positive* spam detection on sensitive email servers. In such an event, change the default encoding to "quoted-printable" using the `mime_encoding` option.

Quoted printable encoding works better with languages that use one of the Latin charsets. For Asian charsets, stick with the Base64 encoding.

See also: [TracTickets](#), [TracIni](#), [TracGuide](#), [TracDev/NotificationApi](#)