

# TracLinks in reStructuredText

This document illustrates how to use the `:trac:` role in [reStructuredText](#). The page is written like:

```
:trac:`ticket:1`  
`comment:ticket:1:2`  
:trac:`report:1`  
:trac:`[1]` or :trac:`changeset:1`  
:3`, :trac:`[1:3]` or :trac:`log:@1:3`, :trac:`log:trunk@1:3`  
30`, :trac:`diff:tags/trac-0.9.2/wiki-default//tags/trac-0.9.3/wiki-default` or :trac:`diff:trunk/trac@3538//s  
lCase` or :trac:`wiki:CamelCase`  
estone:1.0`  
achment:ticket:944:attachment.1073.diff`  
runk/COPYING`  
on: :trac:`source:/trunk/COPYING@200`  
specific file revision: :trac:`source:/trunk/COPYING@200#L25`  
pecified, separated from the link by a space:  
and the :trac:`source:trunk/COPYING license`.
```

Provided you have [docutils](#) installed, the above block will render as:

---

```
pecific file revision:  
pecified, separated from the link by a space:
```

Note that the above could have been written using substitution references and the `trac::` directive:

```
{{{#!rst  
See |ticket123|.br/>  
.. |ticket123| trac:: ticket:123 this ticket  
}}}
```

This renders as:

---

See |ticket123|.

ticket:123 this ticket

---

See also: [WikiRestructuredText](#), [TracLinks](#)